

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S43	2	(358/1.14 or 705/400) and (@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and (material\$1 or ink\$1 or consumable\$1 or toner\$1) with (cost\$3 or pric\$3 or fee or fees) and print\$3 same network\$3 and page with increment\$2 with (cost\$3 or pric\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/01 18:42
S44	0	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and stencil\$3 with master\$1 and (algorithm\$1 or expression\$1 or formula\$2) same printing with (cost\$3 or pric\$3 or fee or fees) and area near3 coverage same (ink\$1 or consumable\$1 or toner\$1 or material\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 07:08
S45	1	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and stencil\$3 with master\$1 and (algorithm\$1 or expression\$1 or formula\$2) same printing with (cost\$3 or pric\$3 or fee or fees) and (ink\$1 or consumable\$1 or toner\$1 or material\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 07:08
S46	5	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and stencil\$3 and (algorithm\$1 or expression\$1 or formula\$2) same printing with (cost\$3 or pric\$3 or fee or fees) and (ink\$1 or consumable\$1 or toner\$1 or material\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 07:09

S47	4	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and stencil\$3 and (algorithm\$1 or expression\$1 or formula\$2) same printing with (cost\$3 or pric\$3 or fee or fees) and (ink\$1 or consumable\$1 or toner\$1 or material\$1) not riso	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 07:10
S48	257	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and stencil\$3 and (calculat\$5 or algorithm\$1 or expression\$1 or formula\$2) and printing with (cost\$3 or pric\$3 or fee or fees) and (ink\$1 or consumable\$1 or toner\$1 or material\$1) not riso	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 07:11
S49	5	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and stencil\$3 and (calculat\$5 or algorithm\$1 or expression\$1 or formula\$2) with printing with (cost\$3 or pric\$3 or fee or fees) and (ink\$1 or consumable\$1 or toner\$1 or material\$1) not riso	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 07:11
S50	0	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and stencil\$3 and (calculat\$5 or algorithm\$1 or expression\$1 or formula\$2) with printing with (cost\$3 or pric\$3 or fee or fees) and (ink\$1 or consumable\$1 or toner\$1 or material\$1) not riso and initial	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 07:17
S51	0	"20060074816" and initial	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 07:17

S52	0	"20060074816" and (initial\$2 or begin\$4) same cost\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 07:18
S53	0	"20060074816" and (initial\$2 or begin\$4 or start\$3) same cost\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 07:18
S54	0	(358/1.14 or 705/400) and (@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and (material\$1 or ink\$1 or consumable\$1 or toner\$1) with (cost\$3 or pric\$3 or fee or fees) and print\$3 same network\$3 and page with increment\$2 with (cost\$3 or pric\$3) and stencil\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 08:28
S55	0	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and stencil\$3 and (calculat\$5 or algorithm\$1 or expression\$1 or formula\$2) with printing with (cost\$3 or pric\$3 or fee or fees) and (start\$3 or begin\$4 or initial) with (ink\$1 or consumable\$1 or toner\$1 or material\$1) not riso	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 08:39
S56	1	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and stencil\$3 and (calculat\$5 or algorithm\$1 or expression\$1 or formula\$2) with print\$3 with (charg\$3 or cost\$3 or pric\$3 or fee or fees) and (start\$3 or begin\$4 or initial) with (ink\$1 or consumable\$1 or toner\$1 or material\$1) not riso	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 08:39

S57	5	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and stencil\$3 and (calculat\$5 or algorithm\$1 or expression\$1 or formula\$2) with print\$3 same (charg\$3 or cost\$3 or pric\$3 or fee or fees) and (start\$3 or begin\$4 or initial) with (ink\$1 or consumable\$1 or toner\$1 or material\$1) not riso	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 08:40
S58	0	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and stencil\$3 and (calculat\$5 or algorithm\$1 or expression\$1 or formula\$2) with (charg\$3 or cost\$3 or pric\$3 or fee or fees) near5 print\$3 and (start \$3 or begin\$4 or initial) with (ink\$1 or consumable\$1 or toner\$1 or material\$1) not riso	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 08:42
S59	2	(358/1.14 or 705/400) and (@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and (material\$1 or ink\$1 or consumable\$1 or toner\$1) with (cost\$3 or pric\$3 or fee or fees) and print\$3 same network\$3 and page with increment\$2 with (cost\$3 or pric\$3) and page\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 10:38
S60	0	(358/1.14 or 705/400) and (@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and (material\$1 or ink\$1 or consumable\$1 or toner\$1) with (cost\$3 or pric\$3 or fee or fees) and print\$3 same network\$3 and page with increment\$2 with (cost\$3 or pric\$3) and page\$1 and accounting and comsumable \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 11:09

S61	2	(358/1.14 or 705/400) and (@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and (material\$1 or ink\$1 or consumable\$1 or toner\$1) with (cost\$3 or pric\$3 or fee or fees) and print\$3 same network\$3 and page with increment\$2 with (cost\$3 or pric\$3) and page\$1 and accounting and consumable \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 11:09
S62	2	(358/1.14 or 705/400) and (@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and (material\$1 or ink\$1 or consumable\$1 or toner\$1 or parer\$1) with (cost\$3 or pric \$3 or fee or fees) and print \$3 same network\$3 and page with increment\$2 with (cost\$3 or pric\$3) and page \$1 and accounting and consumable\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 11:12
S63	13	"6516157" and page\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 12:04
S64	11	"6516157" and sheet\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 12:05
S65	4	"6516157" and sheet\$1 and density	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 12:18
S66	0	"6516157" and sheet\$1 and density same cost\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 12:24

S67	0	"6516157" and sheet\$1 and pixel\$1 same cost\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 12:24
S68	4	"6516157" and sheet\$1 and pixel\$1 and dens\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 12:25
S69	5	"6516157" and dens\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 12:25
S70	1	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and stencil\$3 and (calculat\$5 or algorithm\$1 or expression\$1 or formula\$2) with printing with (cost\$3 or pric\$3 or fee or fees) and (ink\$1 or consumable\$1 or toner\$1 or material\$1) not riso and density	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 12:30
S71	83	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and (calculat\$5 or algorithm\$1 or expression\$1 or formula\$2) with printing with (cost\$3 or pric\$3 or fee or fees) and (ink\$1 or consumable\$1 or toner\$1 or material\$1) not riso and density	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 12:31
S72	0	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and (calculat\$5 or algorithm\$1 or expression\$1 or formula\$2) with printing with (cost\$3 or pric\$3 or fee or fees) and (ink\$1 or consumable\$1 or toner\$1 or material\$1) same desity not riso	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 12:32

S73	61	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and (calculat\$5 or algorithm\$1 or expression\$1 or formula\$2) with printing with (cost\$3 or pric\$3 or fee or fees) and (ink \$1 or consumable\$1 or toner \$1 or material\$1) same density not riso	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 12:32
S74	18	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and (calculat\$5 or algorithm\$1 or expression\$1 or formula\$2) with printing with (cost\$3 or pric\$3 or fee or fees) and (ink \$1 or consumable\$1 or toner \$1 or material\$1) same cost \$3 same density not riso	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/02 12:41

7/ 3/ 2009 1:07:56 AM

C:\ Documents and Settings\ fnelson1\ My Documents\ EAST\ Workspaces\ 10518411 printing  
cost.wsp